

Product Description:

MOTORCYCLE OIL 4T 20W-40 is a high quality mineral based lubricant especially developed for use in high powered 4-stroke motorcycles and is formulated from premium quality hydrotreated base stocks and high quality performance additives to satisfy the demanding lubrication requirements of modern 4-stroke motorcycles.

MOTORCYCLE OIL 4T 20W-40 provides excellent protection towards engine, gearbox and wet clutches used in 4-stroke motorcycles and ensures the highest possible reliability even under the most severe operation conditions.

MOTORCYCLE OIL 4T 20W-40 has very good thermo-oxidative stability, minimising deposits and sludge formation. Exceptional anti-wear properties protect vital engine and gear components leading to lower maintenance costs. Controlled frictional properties eliminate clutch slippage, effectively improving the driveability of the vehicle. The good low temperature properties enable easy starting at low ambient temperatures and ensures effective lubrication and wear protection at start up.

MOTORCYCLE OIL 4T 20W-40 is recommended for a wide range of high powered 4-stroke motorcycles. MOTORCYCLE OIL 4T 20W-40 exceeds the specifications of API SL and JASO MA as well the requirements of many global 4-stroke motorcycle manufacturers.

Typical Physical Characteristics

PROPERTY TEST	UNITS	METHODS	RESULT
Viscosity Grade	SAE J300		20W40
Colour		ASTM1500	L2.0
Density @ 15 °C	kg/m3		0.87
Kinematic Viscosity @ 40°C	cSt	ASTM D445	150.03
Kinematic Viscosity @ 100°C	cSt	ASTM D445	16.09
Viscosity Index		ASTM D2270	112

These characteristics are typical of current product methods whilst future production will conform to ENZOIL Lubricants specifications, variations in these physical characteristics may occur.

Health & Safety Environment

- This product is unlikely to present any significant health and safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.
- Avoid contact with eyes and skin, use proper impervious gloves with used oil. After skin contact, wash immediately with soap and water.

Protect the Environment

- Take used oil to an authorized collection point. Do not discharge used or new oil into drains, soil or water.

Unparalleled Reliability
Performance And Peace Of Mind

